

## Datasheet

### RX - Black 433 MHz Remotes

#### Product Description


The RADIUM remotes are compatible with all standard 433 MHz RADIUM wireless receivers. They have been designed with a high security coding system (KeeLoq® Hopping code). A special algorithm ensures a continuous synchronization between the receiver and transmitter.

Ideal for triggering automatic doors and gates. This range includes a 1, 2 and 4-channel transmitter. All of which can also be equipped with a passive tag.



#### Key Features


- Ergonomic design
- Compatible with standard RADIUM receivers
- Up to 820 ft (250 m) range
- Batteries included (CR2016)



All the information contained within this document (pictures, drawings, features, dimensions, specifications), could be perceptibly different and can be changed without prior notice. Published: 01 November 2023. CDVI\_RX\_DS\_01\_EN-FR\_LETTER\_C

## Product Specifications

<b>Material:</b>	Polycarbonate
<b>Technology:</b>	Radio
<b>Channels:</b>	1, 2 or 4 (by model)
<b>Frequency:</b>	433.92 MHz
<b>Modulation:</b>	AM/ASK
<b>Encoding:</b>	KeeLoq® Hopping code
<b>Read range:</b>	820 ft (250 m)
<b>Code combinations:</b>	2 <sup>64</sup>
<b>Weight:</b>	1.06 oz, 30 g



## Electrical Specifications

<b>Battery:</b>	6 VDC, 2xCR2016 lithium
<b>Consumption:</b>	15 mA

## Also available with built-in tag



**RXC**

Remote with CDVI tag



**RXH**

Remote with HID tag



**RXP**

Remote with PARADOX tag

## Range References

R1	1-Button Remote	1-channel 433 MHz black remote
R2	2-Button Remote	2-channel 433 MHz black remote
R4	4-Button Remote	4-channel 433 MHz black remote